

## Swabs & Applicators

At Innotech Products we carry rugged cleanroom swabs that will stand up to solvents and hard use; gentle swabs for delicate electronics or optics, chemical-resistant and anti-static cleanroom swabs for lint-sensitive environments.

We carry a full line of Swabs for any Cleanroom Application.



PurSwab® Foam-Tipped Applicators	T-2-3
Lymtech® Foam Tipped Cleanroom Swabs	T-4
Lymtech® Foam/Cotton Tipped Cleanroom Swabs	T-5
Puritan® Cotton-Tipped Applicators	T-6
Lymtech® Cotton Tipped Swabs	T-6
Puritan® Forensic Appl. Swabs, Polyester, Cotton Sterile	T-7
Lymtech® Polyester Cloth Tip Swabs	T-7
PurSwab® Knitted Polyester-Tipped Swabs	T-8
Lymtech® Anti-Static Foam Tipped Applicators	T-9
Puritan® Anti-Static Foam-Tipped Applicators	T-9

## Swabs & Applicators

### *Puritan® PurSwab® Foam-Tipped Applicators*

**PurSwab®** foam-tipped applicators are ideal for critical environments. The tips are made with medical grade, 100% polyurethane foam with 100 PPI (pores per square inch). You can also choose foam over cotton tips for added absorbency. These precision foam-tipped applicators are typically used with deionized water and isopropyl alcohol.



1802-PF  
SOLID

(See next page for photos.)

Item#	Description	Handle Material	Handle Dimension	mil	Tip Dimension	mil
1802-PF SOLID	Solid Handle, Regular Tip	Polypropylene	2.375" x 1/10"	60.28 x 2.54	.594" x .188"	15.08 x 4.77
1616-PF	Regular Tip	Polypropylene	6" x .120"	152.28 x 3.05	.875" x .250"	22.21 x 6.35
1605-PSF RECT	Rectangular Tip	Polypropylene	5" x .125" x .195"	126.90 x 4.95 x 3.18	1.000" x 5.31"	25.38 x 13.48
1803-PF	Mini Tip	Polypropylene	3" x .091"	76.14 x 2.31	.468" x .156"	11.88 x 3.96
1805-PF RECT	Rectangular Tip	Polypropylene	5" x .250" x .125"	126.90 x 4.95 x 3.18	.890" x .687"	22.59 x 17.44
1805-PF RND	Round Tip	Polypropylene	5" x .250" x .125"	126.90 x 4.95 x 3.18	1.125" x .906"	28.5 x 22.99
1806-PF	Regular Tip	Polypropylene	6" x 1/10"	152.28 x 2.54	.813" x .188"	20.63 x 4.77
1806-PCF	Regular Foam-Over-Cotton Tip	Polypropylene	6" x 1/10"	152.28 x 2.54	.937" x .375"	23.78 x 9.52
1806-PCFL	Large Foam-Over-Cotton Tip	Polypropylene	6" x 1/10"	152.28 x 2.54	1.000" x 3.75"	25.38 x 9.52
1876-PF	Flexible Paddle Tip	Polypropylene	6" x .120"	152.28 x 3.05	.594" x .188"	15.08 x 4.77



## Swabs & Applicators

### *Puritan® PurSwab® Foam-Tipped Applicators*

1802-PF  
SOLID



1616-PF



1605-PSF-  
RECT



1803-PF



1805-PF-  
RECT



1805-RND



1806-PF



1806-PCF



1806-  
PCFL



1876-PF



## Swabs & Applicators

### Lymtech® Foam-Tipped Cleanroom Swabs

These **Foam Tipped Cleanroom Swabs** by Lymtech® provide superior products for use in a wide range of specialized cleaning tasks. Foam tipped swabs are made of a special open celled foam containing 100 pores per square inch, which

makes them effective in particle entrapment. They are thermally bonded, durable and non-abrasive, and compatible with most organic solvents and cleaning compounds. These swabs are packed 50 per bag, 10 bags per case.

Item#	Description	Handle Dimension	Tip Dimension
S-143	Foam Tipped Swab	4" Plastic	1/8"W x 1/2"L
S-144	Foam Tipped Swab	4.5" Plastic	1/4"W x 3/4"L
S-145	Foam Tipped Swab	6" Plastic	3/16"W x 7/16"L
S-146	Foam Tipped Swab	5 1/4" Plastic	5/8"W x 1"L

Item#	Description	Handle Dimension	Tip Dimension
S-148	Foam Tipped Swab	3" Plastic	3/16"W x 1/2"L
S-161-B	Foam Tipped Swab	6" Plastic	1/3"W x 5/8" L
S-165	Foam Tipped Swab	5" Plastic	1/2"W x 1"L
S-166	Foam Tipped Swab	5" Plastic	3/4"W x 1"L
S-172	Foam Tipped Swab	3" Plastic	6/16"W x 1"L


S-143




S144




S145




S146




S-148




S-161-B




S-165



S-166



S-172




## Swabs & Applicators

### *Lymtech® Foam/Cotton Tipped Cleanroom Swabs*


**Foam/Cotton Tipped Swabs** combine the strength of foam and the absorbency of cotton. These Cleanroom Swabs are packed 50 per bag, 10 bags per case.

Item#	Description	Handle Dimension	Tip Dimension
S-147P	Foam/Cotton Tipped Swab	6" Plastic	3/8"W x 1"L
S-147W	Foam/Cotton Tipped Swab	6" Wood	3/8"W x 1" L
S-150P	Foam/Cotton Tipped Swab	6" Plastic	1/4"W x 7/8"L
S-150W	Foam/Cotton Tipped Swab	6" Wood	1/4"W x 7/8"L
S-160	Foam/Cotton Tipped Swab	4" Plastic	3/16"W x 7/16"L

S-147P



S-147W




S-150P



S-150W



S-160



## Swabs & Applicators

### *Puritan® Cotton-Tipped Applicators*

**Puritan® Cotton-tipped Applicators** are made of high-quality USP-grade cotton fiber to maintain the consistency of the formed cotton tip on each and every applicator. Listed below are some of the most popular styles. More are available, contact Innotech Products for more information.




803-PC

Item#	Description	Handle Material	Handle Dimension	mil	Tip Dimension	mil
803-PC	Regular Cotton Tip	Hollow Plastic Handle	3" x 1/10"	76.14 x 2.54	.687" x .203"	17.44 x 5.15
803-PC-DBL	Double Regular Tip	Hollow Plastic Handle	3" x 1/10"	76.14 x 2.54	.687" x .172"	17.44 x 4.37
803-PCL	Large Cotton Tip	Hollow Plastic Handle	3" x 1/10"	76.14 x 2.54	.687" x .250"	17.44 x 6.35
806-PC	Regular Cotton Tip	Hollow Plastic Handle	6" x 1/10"	152.28 x 2.54	.687" x .203"	17.44 x 5.15
806-PCL	Large Cotton Tip	Hollow Plastic Handle	6" x 1/10"	152.28 x 2.54	.687" x .250"	17.44 x 6.35

803-DBL




803-PCL



806-PC



806-PCL




### *Lymtech® Cotton Tipped Swabs*

Applicators are made from the purest white cotton available. Their tips are extremely soft and absorbent. Packed 1000 pieces per bag, 10 bags per carton.


Item#	Description	Handle Dimension	Tip Dimension
A-154	Cotton Tipped Swab	3" Wood	3/16"W x 1/2"L
A-156	Cotton Tipped Swab	6" Wood	1/4"W x 5/8"L

A-154



6-A154  
COTTON  
Tip width 3/16", tip length 1/2"  
Handle length 3"

A-156



6-A156  
COTTON  
Tip width 1/4", tip length 5/8"  
Handle length 6"

## Swabs & Applicators

### *Puritan® Forensic Application Polyester Tip, Cotton Tip*


These applicators can be relied on to collect minute amounts of specimens, whether they're visible to the naked eye or not. These swabs are used to collect biological evidence, as well as trace DNA and buccal samples.

Item#	Description	Handle Material	Handle Dimensions	Packed
25-806 1PD	Polyester Tip, Sterile	Plastic Shaft	6" x 1/10"	10/100/2 per pkg.
25-806 2PC	Cotton Tip, Sterile	Plastic Shaft	6" x 1/10"	10/100/2 per pkg.

25-806-1PD



25-806 2PC




### *Lymtech® Polyester Cloth Tip Swabs*

**Fabric-Tipped Polyester Cloth Swabs by Lymtech®** are extremely durable, consisting of the same 100% continuous filament polyester found in PURITY WIPES utilized in Class 10 Cleanrooms. These swabs are especially low in chemical ex-



tractables and particle counts. They have exceptional cleaning power and are compatible with acetone. These Cleanroom Swabs are packed 50 per bag, 10 bags per case.

Item#	Description	Handle Dimension	Tip Dimension
S-162	Polyester Cloth Tipped Swab	6" Plastic	1/4"W x 3/4"L
S-163	Polyester Cloth Tipped Swab	3" Plastic	1/8"W x 1/2" L
S-164	Polyester Cloth Tipped Swab	3" Plastic	1/16W x 1/2"L

S-163



S-162



## Swabs & Applicators

### *Puritan® PurSwab® Knitted Polyester-Tipped Applicators*


**PurSwab® Knitted Polyester Tipped Applicators** have tips that are a non-abrasive material with double-ply, knitted polyester. They hold up to chemicals typically used in cleanrooms. Low in NVR extraction and particle generation, these are suitable for cleanroom environments, All tips are heat-sealed onto handles.

Item#	Description	Handle Material	Handle Dimension	mil	Tip Dimension	mil
3600	Flat Paddle Tip	Polypropylene	6" x .120"	152.28 x 3.05	1.032" x .375"	26.19 x 9.52
3605	Symmetrical Round Tip	Polypropylene	6" x .125"	152.28 x 3.17	.781" x .203"	19.82 x 5.15
3676	Flexible Paddle Tip	Polypropylene	6" x .12"	151.55 x 3.05	.661" x .268"	16.78 x 6.8
3610	Symmetrical Round Tip	Polypropylene	3" x .125"	76.14 x 3.17	.781" x .203"	19.82 x 5.15
3615	Half-Round with Flange Tip	Delrin (Acetal)	3" x .090"	76.14 x 2.28"	.406" x .125"	10.30 x 3.17
3620	Symmetrical Round Mini Tip	Delrin (Acetal)	3" x .090"	76.14 x 2.28	.406" x .085"	10.30 x 2.16
3625	Symmetrical Round Tip	Delrin (Acetal)	3" x .090"	76.14 x 2.28	.406 x .125	10.30 x 3.17
3651	Symmetrical Round Tip	Polystyrene	5" x 1/10"	126.9 x 2.54	.59" x .203"	14.97 x 5.15

3600



3605




3676



3610



3615



3620



3625





## Swabs & Applicators

### *Puritan® Anti-Static Foam Tipped Applicators*

**Anti-Static Foam Tipped Applicators** are designed to perform in critical environments, these chemical-resistant applicators stand up to solvents and cleaners without tearing or breaking down. These ESD-control styles reduce and dissipate static electricity.

Item#	Description	Handle Material	Handle Dimensions	mil	Tip Dimension	mil
1805-PF RECT AS	Rectangular, Anti-Static, Foam Tip	Polypropylene	5" x .250" x .125"	126.90 x 4.95 x 3.18	1.000 x .687	25.38 x 17.44
1806-PF AS	Regular, Anti-Static Foam Tip	Polypropylene	6" x 1/10"	152.28 x 2.54	.687 x .188	17.44 x 4.77

1805-PF-  
RECT AS



1806-PF  
AS



### *Lymtech® ESD Anti-Static Foam Tipped Swabs*


**Foam Tipped ESD Safe Swabs by Lymtech®** are made of a special open celled foam containing 100 pores per square inch. This pore-and-open-cell structure is extremely effective in particle entrapment. These swabs are thermally bonded, durable and non-abrasive. They are compatible with most organic solvents and cleaning compounds.

Item#	Description	Handle Dimension	Tip Dimension
LT-1001ESD-500	Foam Tipped Swab	6" Plastic	3/4"W x 7/8"L
LT-4312ESD-500	Foam Tipped Swab	2 3/4" Plastic	1/2"W x 1/2"L
SF13ESD	Foam Tipped Swab	2" Plastic	3/4"L
85410ESD	Foam Tipped Swab	3" Plastic	3/16"W x 3/8"L



85410ESD

LT-1001  
ESD-500




6-LT-1001ESD-500  
FOAM  
Tip width 3/4", tip length 7/8"  
Handle length 6"

SF13ESD



6-SF13ESD  
FOAM  
Tip length 3/4"  
Handle length 2"

LT-4312  
ESD-500



6-LT-4312ESD-500  
FOAM  
Tip width 1/2", tip length 1/2"  
Handle length 2 3/4"

